



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Temple

Serial No.: 10/827,493

Group Art Unit: 3739

Filed: April 19, 2004

Examiner:

For: HEATER FOR SURGICAL VIEWING INSTRUMENTS

CERTIFICATE OF MAILING UNDER 37 CFR 1.8(a)

Mail Stop MISSING PARTS
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Dear Sir:


I hereby certify that the attached correspondence comprising:

Part 2 - Notice to File Corrected Application Papers
3 sheets formal drawings
Postcard

is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Mail Stop MISSING PARTS
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

On August 30, 2004.



Sheryl L. Hammer



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
 United States Patent and Trademark Office
 Address: COMMISSIONER FOR PATENTS
 P.O. Box 1450
 Alexandria, Virginia 22313-1450
 www.uspto.gov

1FW

| APPLICATION NUMBER | FILING OR 371 (c) DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|------------------------|-----------------------|------------------------|
| 10/827,493 | 04/19/2004 | John Temple | MMC-10902/29 |

CONFIRMATION NO. 3298

FORMALITIES LETTER



OC000000013106547

John G. Posa
 Gifford, Krass, Groh, Sprinkle,
 Anderson & Citkowski, P.C.
 280 N. Old Woodward Ave., Suite 400
 Birmingham, MI 48009-5394

Date Mailed: 06/30/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper, which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e)). See Figure(s) 6-7.

Replies should be mailed to: Mail Stop Missing Parts
 Commissioner for Patents
 P.O. Box 1450
 Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

KT

Customer Service Center
 Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE